

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,897,346 B1
DATED : May 24, 2005
INVENTOR(S) : James T. Merrill and James R. Butler

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1,

Line 39, replace "sane" with -- same --;
Line 67, after "below," insert -- it is often the practice to --;

Column 2,

Line 30, replace "400°14 475° C." with -- 400°-475° C. --;
Line 53, replace "temperature" with -- temperatures --;

Column 3,

Line 22, replace "to Ward et al" with -- to Wight --;
Line 25, replace "alklylation" with -- alkylation --;

Column 6,

Line 50, remove "As" prior to "Normally";
Line 54, replace "stages of if" with -- stages of --;

Column 8,

Line 55, remove "GNU" prior to "mole ratio";

Column 11,

Line 63, after "of a" add -- surface area of --;

Column 12,

Line 2, replace "m2 ug" with -- m2/g --;
Line 40, replace "versus duration" with -- versus the duration --; and
Line 42, replace "zeolite-Y indicated" with -- zeolite-Y is indicated --.

Signed and Sealed this

Seventeenth Day of January, 2006



JON W. DUDAS
Director of the United States Patent and Trademark Office